

Manufacturer	Ausa
Machine	Dumper (Wheeled)
Model	D350AHG

ENGINE		Unit
Engine make	Kubota	
Engine model	V2403	
Rated power	39.7	kW
Rated speed	2,600	rpm
Cooling		kW
Displacement		cc
Alternator output		A
Battery capacity		Ah
Voltage		V

DIMENSIONS		Unit
Payload	3,500	kg
Overall length	4,120	mm
Overall width	1,858	mm
Wheelbase	1,932	mm
Ground clearance	395	mm
Skip lip height – tipped	1,035	mm
Skip lip height – untipped	1,506	mm
Elevated skip lip height – tipped		mm
Elevated skip lip height – untipped		mm
Height over skip	1,740	mm
Skip width	1,852	mm
Height over ROPS	2,770	mm
Height over steering wheel	1,940	mm
Steer system	Articulated	
Oscillation angle		°
Articulation angle		°
Unladen weight	2,780	kg
Outside turning radius	4,680	mm
Width over front tyres	1,858	mm
Width over rear tyres	1,858	mm
Tyre size – front	11.5/80-15.3 14PR	
Tyre size – rear	11.5/80-15.3 14PR	



DRIVE		Unit
Drive type	4WD	
Gradeability laden	54	°
Transmission type	Hydrostatic	
No. of gears Fwd	2	
No. of gears Rev	2	
Forward travel speeds	21	kph
Service brakes		
Service brake operation		
Parking brakes		

CAPACITIES		Unit
Skip capacity – heaped	2,737	ltr
Skip capacity – struck	1,726	ltr
Skip capacity – liquid	1,050	ltr
Fuel tank	44	ltr
Hydraulic tank	40	ltr
Hydraulic pressure	180	bar/l.min
Hydraulic flow		bar/l.min