

Atlas Balanced Fluid Head



Ronford-Baker

CAMERA SUPPORT TECHNOLOGY

Atlas

Balanced Fluid Head

The "Atlas" is a completely new design head, with a patented counterbalance system.

Capable of taking camera's up to 50 Kgs (110 lbs) @ 30 cm (12") above the head's pivotal centre.

Operated by a single control knob, from 0- 100%.

Incorporating the well proven Ronford-Baker fluid system, with 15 stages of fluid control, on pan & tilt. With a zero (free) position.


These give unprecedented smoothness & accuracy of control & balance under all situations.

- ▶ Engineered for quality, strength & durability
- ▶ Quick release camera plate. Adjustable for balance with built in safety stops & scale.
- ▶ Arri dovetail plate also available.
- ▶ Panbars in 3 positions, mounted via ratchet discs with telescopic facility.
- ▶ Smooth positive braking on pan & tilt.
- ▶ 2 Spirit levels with "Tritium" light source.
- ▶ 150 m/m ball or Mitchell / Moy fitting.
- ▶ Tilt 180 Degrees
- ▶ Adjustable 360 Deg. pan scale.
- ▶ Front box mount.
- ▶ Eyepiece levelling bracket incorporated in carrying handles.
- ▶ Fully guaranteed.



Technical Specifications:

Weight:	13 Kgs / 28.5 lbs.
Height:	254 m/m (10")
Width:	267 m/m (10.5")
Depth:	203 m/m (10")
Maximum load:	50 Kgs (110 lbs) @ 30 cm (12") above pivotal centre.
Operational temperature:	+150 Deg. F to -40 Deg. F (+66 C to -40 Deg. C)



Ronford-Baker

C A M E R A S U P P O R T T E C H N O L O G Y

Ronford-Baker Engineering Company Ltd

Unit 5, Kingley Park, Station Road, Kings Langley,
Hertfordshire, WD4 8GW, UK.

Web: www.ronfordbaker.co.uk

Tel: +44(0)208 428 5941

Fax: +44(0)208 428 4743

Email: info@ronfordbaker.co.uk