

VALID FROM 1 APRIL 2019

# **GEBERIT SUPPLY SYSTEMS TOOLING PRODUCT GUIDE**

**KNOW  
HOW  
INSTALLED\***













# Tools

<b>Tools for Geberit Mapress.....</b>	<b>4</b>
Assortment overview – Geberit Mapress compatibility [1], [2], [3], [2XL] and [HCP] ..	4
Assortment overview – Geberit pressing collars ..	7
Pressing tools compatibility [1] ..	8
Pressing tools compatibility [2] ..	10
Pressing tools compatibility [2XL] ..	14
Pressing tools compatibility [3] ..	15
Pressing tools [HCP] ..	19
Pipe processing tools ..	20
Pressure test plugs ..	22
Test equipment ..	23
Accessories ..	24
<b>Tools for Geberit Mepla.....</b>	<b>24</b>
Assortment overview – Geberit Mepla compatibility [1] and [2] ..	24
Hand-operated pressing tools ..	26
Pressing tools compatibility [1] ..	26
Pressing tools compatibility [2] ..	27
Pipe processing tools ..	30
Pressure test plugs ..	34
Test equipment ..	34
Accessories ..	35
<b>Appendix.....</b>	<b>36</b>
Abbreviation ..	36
Sales and delivery conditions ..	37
Index ..	40









## Tools for Geberit Mapress

### Assortment overview – Geberit Mapress compatibility [1], [2], [3], [2XL] and [HCP]

Geberit Great Britain, Version: October 2018













	Art. no.	Dimension
<b>Compatibility [1]</b>		
 Geberit pressing tool ACO 103plus [1], in case	691.017.P5.1	
 Geberit Mapress set of pressing jaws [1]	691.090.00.2	12 / 15 / 18 / 22 / 28 / 35 mm
	691.092.00.2	15 / 18 / 22 / 28 / 35 mm
	691.091.00.1	15 / 18 / 22 / 28 mm
	691.093.00.2	15 / 22 / 28 / 35 mm
 Geberit Mapress pressing jaw [1]	90241	12 mm
	90242	15 mm
	90243	18 mm
	90244	22 mm
	90245	28 mm
	90246	35 mm
 Geberit Mapress set of pressing jaws [1]	690.190.00.1	12 / 15 / 18 / 22 / 28 / 35 mm
	690.192.00.1	15 / 18 / 22 / 28 / 35 mm
	690.191.00.1	15 / 18 / 22 / 28 mm
	690.193.00.1	15 / 22 / 28 / 35 mm
	690.195.00.1	12 / 15 / 22 / 28 / 35 mm
 Geberit Mapress pressing jaw [1]	690.121.00.1	12 mm
	690.122.00.1	15 mm
	690.123.00.1	18 mm
	690.124.00.1	22 mm
	690.125.00.1	28 mm
	690.126.00.1	35 mm
<b>Compatibility [2]</b>		
 Geberit hand-operated pressing tool MFP 2 [2]	90523	
 Geberit pressing tool EFP 203 [2], in case	691.113.P5.1	
	691.113.1P.1	
 Geberit pressing tool ECO 203 [2], in case	691.214.P5.1	
	691.214.1P.1	

Geberit Great Britain, Version: October 2018






Compatibility [1]	Art. no.	Dimension
 <p>Geberit pressing tool ACO 203plus [2], in case</p>	691.218.P5.2	
 <p>Geberit Mapress set of pressing jaws [2]</p>	691.290.00.1	12 / 15 / 18 / 22 / 28 / 35 mm
	691.291.00.1	15 / 18 / 22 / 28 mm
	691.292.00.1	15 / 18 / 22 / 28 / 35 mm
	691.293.00.1	15 / 22 / 28 / 35 mm
	691.295.00.1	12 / 15 / 22 / 28 / 35 mm
 <p>Geberit Mapress pressing jaw [2]</p>	90531	12 mm
	90532	15 mm
	90533	18 mm
	90534	22 mm
	90535	28 mm
	90536	35 mm
 <p>Geberit Mapress set of pressing jaws [2]</p>	690.230.00.1	12 / 15 / 18 / 22 / 28 / 35 mm
	690.231.00.1	15 / 18 / 22 / 28 mm
	690.232.00.1	15 / 18 / 22 / 28 / 35 mm
	690.233.00.1	15 / 22 / 28 / 35 mm
	690.235.00.1	12 / 15 / 22 / 28 / 35 mm
 <p>Geberit Mapress pressing jaw [2]</p>	690.221.00.1	12 mm
	690.222.00.1	15 mm
	690.223.00.1	18 mm
	690.224.00.1	22 mm
	690.225.00.1	28 mm
	690.226.00.1	35 mm
 <p>Geberit Mapress set of pressing collars [2], in case</p>	691.296.00.2	42 / 54 mm
	691.297.00.3	42 / 54 / 66.7 mm
 <p>Geberit Mapress pressing collar [2], [3]</p>	691.181.00.1	35 mm
	691.182.00.1	42 mm
	691.183.00.1	54 mm
	691.185.00.3	66.7 mm
 <p>Geberit adaptor jaw ZB 203 [2]</p>	691.180.00.1	Mepla 63–75 Mapress 35–66.7 mm



Geberit Great Britain, Version: October 2018








	Art. no.	Dimension
<b>Compatibility [1]</b>		
<b>Compatibility [2XL]</b>		
 Geberit pressing tool ACO 203XLplus [2] / [2XL], in case	691.228.P5.2	
 Geberit Mapress set of pressing collars [2XL], in case	691.188.00.1	76.1 / 88.9 mm
 Geberit Mapress pressing collar set [2XL], in case	691.189.00.1	108 mm
 Geberit Mapress pressing collar [2XL] / [3]	90797	76.1 mm
	90798	88.9 mm
	90799	108 mm
 Geberit Mapress adaptor jaw ZB 221 [2XL]	691.186.00.1	76.1 / 88.9 / 108 mm
 Geberit Mapress adaptor jaw ZB 222 [2XL]	691.187.00.1	108 mm
<b>Compatibility [3]</b>		
 Geberit pressing tool ECO 301 [3], in case	691.310.P5.3	
	691.312.1P.3	
 Geberit Mapress set of pressing jaws [3]	691.390.00.1	12 / 15 / 18 / 22 / 28 / 35 mm
	691.391.00.1	15 / 18 / 22 / 28 mm
	691.392.00.1	15 / 18 / 22 / 28 / 35 mm
	691.393.00.1	15 / 22 / 28 / 35 mm
 Geberit Mapress pressing jaw [3]	90641	12 mm
	90642	15 mm
	90643	18 mm
	90644	22 mm
	90645	28 mm
	90646	35 mm
 Geberit Mapress set of pressing collars [3], in case	691.396.00.2	42 / 54 mm
	691.397.00.3	42 / 54 / 66.7 mm
	691.388.00.1	76.1 / 88.9 mm
 Geberit Mapress pressing collar set [3], in case	691.389.00.1	108 mm
 Geberit Mapress pressing collar [2], [3]	691.181.00.1	35 mm
	691.182.00.1	42 mm
	691.183.00.1	54 mm
	691.185.00.3	66.7 mm

Geberit Great Britain, Version: October 2018

	Art. no.	Dimension
<b>Compatibility [1]</b>		
 Geberit Mapress pressing collar [2XL] / [3]	90797	76.1 mm
	90798	88.9 mm
	90799	108 mm
 Geberit Mapress adaptor jaw ZB 303 [3]	90648	35 / 42 / 54 / 66.7 mm
 Geberit Mapress adaptor jaw ZB 323 [3]	90795	76.1 / 88.9 / 108 mm
 Geberit Mapress adaptor jaw ZB 324 [3]	90796	108 mm
<b>Compatibility [HCP]</b>		
 Geberit Mapress pressing tool HCPS [HCP]	691.420.P5.1	76.1 / 88.9 / 108 mm
	691.422.1P.1	76.1 / 88.9 / 108 mm

### Assortment overview – Geberit pressing collars

Geberit Great Britain, Version: October 2018

	Pressing collar, new - d76.1	Pressing collar, new - d88.9	Pressing collar, new - d108
			
	90797	90798	90799
<b>Compatibility [3] - new</b>			
90795 Geberit Mapress adaptor jaw ZB 323 [3] 	✓	✓	✓
90796 Geberit Mapress adaptor jaw ZB 324 [3] 			✓
<b>Compatibility [2XL] - new</b>			
691.186.00.1 Geberit Mapress adaptor jaw ZB 221 [2XL] 	✓	✓	✓
691.187.00.1 Geberit Mapress adaptor jaw ZB 222 [2XL] 			✓

✓ Compatible




## Tools

Tools for Geberit Mapress  
Pressing tools compatibility [1]

# Pressing tools compatibility [1]

## Geberit Mapress set of pressing jaws [1]



### Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mapress pressfittings

### Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

### Scope of delivery

- Pressing jaws [1]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen
- PowerTest

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
690.190.00.1	[1]	12 / 15 / 18 / 22 / 28 / 35	1
690.195.00.1	[1]	12 / 15 / 22 / 28 / 35	1
690.191.00.1	[1]	15 / 18 / 22 / 28	1
690.192.00.1	[1]	15 / 18 / 22 / 28 / 35	1
690.193.00.1	[1]	15 / 22 / 28 / 35	1



- Fit into Geberit case with case insert 10A IV

## Geberit Mapress pressing jaw [1]



### Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mapress pressfittings

### Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
690.121.00.1	[1]	12	1
690.122.00.1	[1]	15	1
690.123.00.1	[1]	18	1
690.124.00.1	[1]	22	1
690.125.00.1	[1]	28	1
690.126.00.1	[1]	35	1

### Accessories

- Geberit PowerTest



- Fit into Geberit case with case insert 10A IV

## Geberit Mapress set of pressing jaws [1]



### Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mapress pressfittings

### Scope of delivery

- Pressing jaws [1]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen

Art. no.		Compatibility	d, ø [mm]	SU1 [pc.]
691.090.00.2	PO	[1]	12 / 15 / 18 / 22 / 28 / 35	1
691.091.00.1	P	[1]	15 / 18 / 22 / 28	1
691.092.00.2	P	[1]	15 / 18 / 22 / 28 / 35	1
691.093.00.2	P	[1]	15 / 22 / 28 / 35	1

PO: Phase out as of April 2019; P: Phase out



- Replaced by art. no. 690.191.00.1, 690.192.00.1, 690.193.00.1

## Geberit Mapress pressing jaw [1]



### Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mapress pressfittings

Art. no.		Compatibility	d, ø [mm]	SU1 [pc.]
90241	PO	[1]	12	1
90242	PO	[1]	15	1
90243	PO	[1]	18	1
90244	PO	[1]	22	1
90245	PO	[1]	28	1
90246	PO	[1]	35	1

PO: Phase out as of April 2019

## Tools

Tools for Geberit Mapress  
Pressing tools compatibility [2]

# Pressing tools compatibility [2]

## Geberit Mapress set of pressing jaws [2]



### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

### Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

### Scope of delivery

- Pressing jaws [2]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen
- PowerTest

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
690.230.00.1	[2]	12 / 15 / 18 / 22 / 28 / 35	1
690.235.00.1	[2]	12 / 15 / 22 / 28 / 35	1
690.231.00.1	[2]	15 / 18 / 22 / 28	1
690.232.00.1	[2]	15 / 18 / 22 / 28 / 35	1
690.233.00.1	[2]	15 / 22 / 28 / 35	1

### Accessories

- Geberit case for pressing jaws [2], [3]



- Fit into Geberit case with case insert from 10C II, 20A V, 20B IV, 20D II
- Not suitable for Geberit pressing tools PWH 40

## Geberit Mapress pressing jaw [2]



### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

### Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
690.221.00.1	[2]	12	1
690.222.00.1	[2]	15	1
690.223.00.1	[2]	18	1
690.224.00.1	[2]	22	1
690.225.00.1	[2]	28	1
690.226.00.1	[2]	35	1

### Accessories

- Geberit case for pressing jaws [2], [3]
- Geberit PowerTest



- Fit into Geberit case with case insert from 10C II, 20A V, 20B IV, 20D II
- Not suitable for Geberit pressing tools PWH 40

## Geberit Mapress set of pressing jaws [2]



### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

### Scope of delivery

- Pressing jaws [2]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
691.290.00.1	PO [2]	12 / 15 / 18 / 22 / 28 / 35	1
691.295.00.1	PO [2]	12 / 15 / 22 / 28 / 35	1
691.291.00.1	PO [2]	15 / 18 / 22 / 28	1
691.292.00.1	PO [2]	15 / 18 / 22 / 28 / 35	1
691.293.00.1	PO [2]	15 / 22 / 28 / 35	1

PO: Phase out as of April 2019

### Accessories

- Geberit case for pressing jaws [2], [3]



- Not suitable for Geberit pressing tools PWH 40

## Geberit Mapress pressing jaw [2]



### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
90531	PO [2]	12	1
90532	PO [2]	15	1
90533	PO [2]	18	1
90534	PO [2]	22	1
90535	PO [2]	28	1
90536	PO [2]	35	1

PO: Phase out as of April 2019

### Accessories

- Geberit case for pressing jaws [2], [3]



- Not suitable for Geberit pressing tools PWH 40

## Tools

Tools for Geberit Mapress  
Pressing tools compatibility [2]

### Geberit case for pressing jaws [2], [3]



#### Technical data

Material	ABS
----------	-----

#### Characteristics

- Can be equipped with six Geberit Mepla pressing jaws [2]
- Can be equipped with six Geberit Mapress pressing jaws [2] or [3]
- Can be equipped with Geberit Mepla deburring and calibration tool  $\varnothing$  16–50 mm
- Can be equipped with a Geberit Mapress pipe deburrer  $\varnothing$  12–54 mm
- Can be equipped with a Geberit Mapress pipe cutter up to  $\varnothing$  50 mm or Geberit scissors
- Can be equipped with a Geberit Mapress pipe cutter up to  $\varnothing$  54 mm
- Can be equipped with a Geberit Mapress insertion distance template with marker pen
- Can be equipped with a BRUNOX® Turbo-Spray® 100 ml
- Can be equipped with a Geberit grease pencil and two-meter ruler

Art. no.

SU1  
[pc.]

691.137.00.1

1

#### Accessories

- Geberit carrying belt for case

### Geberit Mapress set of pressing collars [2], in case



#### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mapress pressfittings

#### Scope of delivery

- Pressing collars
- Adaptor jaw ZB 203 [2]
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.

Compatibility

d,  $\varnothing$   
[mm]

SU1  
[pc.]

691.296.00.2

[2]

42 / 54

1

691.297.00.3

[2]

42 / 54 / 66.7

1

#### Accessories

- Geberit carrying belt for case



- Latest variant (691.297.00.3) collars suitable for pressing 66.7 mm Mapress Carbon Steel with [2] tools.
- Not suitable for Geberit pressing tools PWH 40

### Geberit Mapress pressing collar [2], [3]



#### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings
- Dimension  $\varnothing$  35 is exclusively suitable for pressing Geberit Mapress Stainless Steel and Carbon Steel for operating pressures up to 25 bar / 2500 kPa

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
691.181.00.1	[2], [3]	35	1
691.182.00.1	[2], [3]	42	1
691.183.00.1	[2], [3]	54	1
691.185.00.3	[2], [3]	66.7	1

**To order additionally**

- Geberit adaptor jaw ZB 203 [2]
- Geberit Mapress adaptor jaw ZB 303 [3]



- Latest variant 66.7 mm collar (691.185.00.3) is suitable for pressing 66.7 mm Mapress Carbon Steel with [2] tools.
- Not suitable for Geberit pressing tools PWH 40

### Geberit adaptor jaw ZB 203A [2]



**Application purposes**

- For pressing tools with Geberit compatibility [2]
- For pressing with Geberit Mepla pressing collars [2]
- For pressing with Geberit Mapress pressing collars [2]

**Characteristics**

- Service-free
- Operable with one hand
- Zinc-plated
- Easy maintenance and cleaning

Art. no.	Compatibility	SU1 [pc.]
691.203.00.1	[2]	1



- Not suitable for Geberit pressing tools PWH 40

### Geberit adaptor jaw ZB 203 [2]



**Application purposes**

- For pressing tools with Geberit compatibility [2]
- For pressing with Geberit Mepla pressing collars [2]
- For pressing with Geberit Mapress pressing collars [2]

Art. no.	Compatibility	SU1 [pc.]
691.180.00.1 PO	[2]	1

PO: Phase out as of April 2019



- Also for use with compatibility [2XL] tool for Geberit Mapress collars up to 66.7 mm
- Not suitable for Geberit pressing tools PWH 40

## Tools

Tools for Geberit Mapress  
Pressing tools compatibility [2XL]

# Pressing tools compatibility [2XL]

## Geberit Mapress set of pressing collars [2XL], in case



### Application purposes

- For Geberit pressing tools ACO 203XL
- For pressing Geberit Mapress pressfittings

### Scope of delivery

- Pressing collars
- Adaptor jaw ZB 221 [2XL]
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
691.188.00.1	[2XL]	76.1 / 88.9	1

### Accessories

- Geberit carrying belt for case

## Geberit Mapress pressing collar set [2XL], in case



### Application purposes

- For Geberit pressing tools ACO 203XL
- For pressing Geberit Mapress pressfittings

### Scope of delivery

- Pressing collar, ø 108 mm
- Adaptor jaw ZB 222 [2XL] for final pressing
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
691.189.00.1	[2XL]	108	1

### To order additionally

- Geberit Mapress adaptor jaw ZB 221 [2XL]

### Accessories

- Geberit carrying belt for case

## Geberit Mapress pressing collar [2XL] / [3]



### Application purposes

- For pressing tools with Geberit compatibility [2XL]
- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
90797	[2XL], [3]	76.1	1
90798	[2XL], [3]	88.9	1
90799	[2XL], [3]	108	1

**To order additionally**

- Geberit Mapress adaptor jaw ZB 221 [2XL]
- Geberit Mapress adaptor jaw ZB 222 [2XL]
- Geberit Mapress adaptor jaw ZB 323 [3]
- Geberit Mapress adaptor jaw ZB 324 [3]

### Geberit Mapress adaptor jaw ZB 221 [2XL]



**Application purposes**

- For pressing tools with Geberit compatibility [2XL]
- For pressing with Geberit Mapress pressing collars [3] of  $\varnothing$  76.1 and  $\varnothing$  88.9 mm
- For preliminary pressing of Geberit Mapress pressing collars [3]  $\varnothing$  108 mm

**Scope of delivery**

- Case

Art. no.	Compatibility	d, $\varnothing$ [mm]	SU1 [pc.]
691.186.00.1	[2XL]	76.1 / 88.9 / 108	1

### Geberit Mapress adaptor jaw ZB 222 [2XL]



**Application purposes**

- For pressing tools with Geberit compatibility [2XL]
- For final pressing of Geberit Mapress pressing collars [3]  $\varnothing$  108 mm

**Scope of delivery**

- Case

Art. no.	Compatibility	d, $\varnothing$ [mm]	SU1 [pc.]
691.187.00.1	[2XL]	108	1

## Pressing tools compatibility [3]

### Geberit Mapress set of pressing jaws [3]



**Application purposes**

- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

**Scope of delivery**

- Pressing jaws [3]
- Pipe cutter
- Pipe deburrer
- Insertion distance template with marker pen

Art. no.	Compatibility	d, $\varnothing$ [mm]	SU1 [pc.]
691.390.00.1	PO [3]	12 / 15 / 18 / 22 / 28 / 35	1
691.391.00.1	PO [3]	15 / 18 / 22 / 28	1
691.392.00.1	PO [3]	15 / 18 / 22 / 28 / 35	1
691.393.00.1	PO [3]	15 / 22 / 28 / 35	1

PO: Phase out as of April 2019

**Accessories**

- Geberit case for pressing jaws [2], [3] → p. 14



- Compatibility [3] expires in 2019. Alternatively, compatibility [2XL] is available



## Tools

Tools for Geberit Mapress  
Pressing tools compatibility [3]

### Geberit Mapress pressing jaw [3]



#### Application purposes

- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
90641	[3]	12	1
90642	[3]	15	1
90643	[3]	18	1
90644	[3]	22	1
90645	[3]	28	1
90646	[3]	35	1

#### Accessories

- Geberit case for pressing jaws [2], [3] → p. 14

### Geberit Mapress set of pressing collars [3], in case



#### Application purposes

- For Geberit pressing tools ECO 3, ECO 301, ACO 3, EFP 3 and AFP 3
- For pressing Geberit Mapress pressfittings

#### Scope of delivery

- Pressing collars
- Adaptor jaw ZB 303 [3]
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
691.396.00.2 PO	[3]	42 / 54	1
691.397.00.3 PO	[3]	42 / 54 / 66.7	1

PO: Phase out as of April 2019

#### Accessories

- Geberit carrying belt for case



- Compatibility [3] expires in 2019. Alternatively, compatibility [2XL] is available

### Geberit Mapress set of pressing collars [3], in case



#### Application purposes

- For Geberit pressing tools ECO 3 and ECO 301
- For pressing Geberit Mapress pressfittings

#### Scope of delivery

- Pressing collars
- Adaptor jaw ZB 323 [3]
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
691.388.00.1 PO	[3]	76.1 / 88.9	1

PO: Phase out as of April 2019

#### Accessories

- Geberit carrying belt for case



- Compatibility [3] expires in 2019. Alternatively, compatibility [2XL] is available

## Geberit Mapress pressing collar set [3], in case



### Application purposes

- For Geberit pressing tools ECO 3 and ECO 301
- For pressing Geberit Mapress pressfittings

### Scope of delivery

- Pressing collar,  $\varnothing$  108 mm
- Adaptor jaw ZB 324 [3] for final pressing
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen
- Case

Art. no.	Compatibility	d, $\varnothing$ [mm]	SU1 [pc.]
691.389.00.1 PO	[3]	108	1

PO: Phase out as of April 2019

### To order additionally

- Geberit Mapress adaptor jaw ZB 323 [3]

### Accessories

- Geberit carrying belt for case



- Compatibility [3] expires in 2019. Alternatively, compatibility [2XL] is available

## Geberit Mapress pressing collar [2], [3]



### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings
- Dimension  $\varnothing$  35 is exclusively suitable for pressing Geberit Mapress Stainless Steel and Carbon Steel for operating pressures up to 25 bar / 2500 kPa

Art. no.	Compatibility	d, $\varnothing$ [mm]	SU1 [pc.]
691.181.00.1	[2], [3]	35	1
691.182.00.1	[2], [3]	42	1
691.183.00.1	[2], [3]	54	1
691.185.00.3	[2], [3]	66.7	1

### To order additionally

- Geberit adaptor jaw ZB 203 [2] → p. 16
- Geberit Mapress adaptor jaw ZB 303 [3]



- Latest variant 66.7 mm collar (691.185.00.3) is suitable for pressing 66.7 mm Mapress Carbon Steel with [2] tools.
- Not suitable for Geberit pressing tools PWH 40

## Tools

Tools for Geberit Mapress  
Pressing tools compatibility [3]

### Geberit Mapress pressing collar [2XL] / [3]



#### Application purposes

- For pressing tools with Geberit compatibility [2XL]
- For pressing tools with Geberit compatibility [3]
- For pressing Geberit Mapress pressfittings

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
90797	[2XL], [3]	76.1	1
90798	[2XL], [3]	88.9	1
90799	[2XL], [3]	108	1

#### To order additionally

- Geberit Mapress adaptor jaw ZB 221 [2XL] → p. 17
- Geberit Mapress adaptor jaw ZB 222 [2XL] → p. 18
- Geberit Mapress adaptor jaw ZB 323 [3]
- Geberit Mapress adaptor jaw ZB 324 [3]

### Geberit Mapress adaptor jaw ZB 303 [3]



#### Application purposes

- For pressing tools with Geberit compatibility [3]
- For pressing with Geberit Mapress pressing collars [3]

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
90648	[3]	35 / 42 / 54 / 66.7	1

### Geberit Mapress adaptor jaw ZB 323 [3]



#### Application purposes

- For Geberit pressing tools ECO 3 and ECO 301
- For pressing with Geberit Mapress pressing collars [3] of ø 76.1 and ø 88.9 mm
- For preliminary pressing of Geberit Mapress pressing collars [3] ø 108 mm

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
90795	[3]	76.1 / 88.9 / 108	1

### Geberit Mapress adaptor jaw ZB 324 [3]



#### Application purposes

- For Geberit pressing tools ECO 3 and ECO 301
- For final pressing of Geberit Mapress pressing collars [3] ø 108 mm

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
90796	[3]	108	1

## Pressing tools [HCP]

### Geberit Mapress pressing tool HCPS [HCP]



#### Application purposes

- For pressing Geberit Mapress Stainless Steel pressfittings
- For pressing Geberit Mapress Carbon Steel pressfittings
- For pressing Geberit Mapress CuNiFe pressfittings

#### Technical data

Nominal force	190 kN
Protection class	I
Protection degree	IP44
Control voltage	24 V DC
Power consumption	800 W
Cable length	2.5 m
Maximum operating pressure	180 bar
Operating temperature	-20 - +60 °C
Filling capacity, hydraulic oil	3.5 l
Sound pressure level at user's ear	78 dB(A)
Vibration emission value	≤ 2.5 m/s <sup>2</sup>
Weight	110 kg

#### Characteristics

- Hydraulic
- Hydraulic hose with control line, length 5 m
- Can be equipped with Geberit electric pipe deburrer RE 1

#### Scope of delivery

- Pressing cylinder with hydraulic hose
- Transport trolley with case
- Assembly clamp MH1
- Pressing collars
- BRUNOX® Turbo-Spray®
- Insertion distance template with marker pen


Art. no.	Compatibility		Nominal voltage / d, ø mains frequency [mm]		Power consumption [W]	Plug type	SU1 [pc.]
691.420.P5.1	PO	[HCP]	76.1 / 88.9 / 108	230 V / 50 Hz	800	BS 1363 A	1
691.422.1P.1	PO	[HCP]	76.1 / 88.9 / 108	115 V / 50 Hz	800	CEE 17 4h, yellow	1

PO: Phase out as of April 2019



- Compatibility [3] expires in 2019

### Geberit extension hydraulic hose with control line



#### Application purposes

- For Geberit pressing tools HCPS

#### Characteristics

- Can be extended to a maximum of 15 m

Art. no.			L [m]	SU1 [pc.]
90562	PO		5	1

PO: Phase out as of April 2019

## Tools

Tools for Geberit Mapress  
Pipe processing tools

# Pipe processing tools

## Geberit Mapress pipe cutter R



### Application purposes

- For cutting Geberit Mapress system pipes to length

### Characteristics

- Spare cutting wheel in handle

Art. no.	d, $\emptyset$ [mm]	Model	SU1 [pc.]
91087	12-35	35S	1
91088	12-54	65S	1

## Set of cutting wheels for Geberit Mapress pipe cutter R



### Scope of delivery

- 2 cutting wheels
- Axle

Art. no.	d, $\emptyset$ [mm]	SU3 [pc.]	SU1 [pc.]
91092	12-54	10	1

## Geberit Mapress pipe deburrer



### Application purposes

- For deburring the inside and outside of Geberit Mapress system pipes
- For deburring the inside and outside of standard copper pipes

Art. no.	d, $\emptyset$ [mm]	SU1 [pc.]
90357	12-35	1
90363	12-54	1

## Milling cutter for Geberit Mapress electric pipe deburrer RE 1



Art. no.	d, $\emptyset$ [mm]	SU1 [pc.]
90365	15-108	1

## Geberit Mapress stripping tool



### Application purposes

- For removing the plastic jacketing from the insertion area on Geberit Mapress system pipes

Art. no.	d, ø [mm]	SU1 [pc.]
90371	12	1
90372	15	1
90373	18	1
90374	22	1
90375	28	1

## Geberit Mapress stripping tool



### Application purposes

- For removing the plastic jacketing from the insertion area on Geberit Mapress system pipes

Art. no.	d, ø [mm]	SU1 [pc.]
90376	35 / 42 / 54	1

## Blade for Geberit Mapress stripping tool



Art. no.	d, ø [mm]	SU2 [pc.]
90391	12 / 15 / 18	10
90394	22 / 28	10
90396	35 / 42 / 54	10

## Geberit Mapress insertion distance template with marker pen



### Application purposes

- For marking the insertion distance on Geberit Mapress system pipes

Art. no.	d, ø [mm]	SU3 [pc.]	SU1 [pc.]
90351	12-108	10	1

## Tools

Tools for Geberit Mapress  
Pressure test plugs

### Geberit Mapress marker pen



#### Application purposes

- For Geberit Mapress insertion distance templates
- For marking the insertion distance on Geberit Mapress system pipes

Art. no.	Tip	SU3 [pc.]	SU2 [pc.]
90358	rounded	50	5

### Geberit Mapress assembly clamp MH 1




#### Application purposes

- For fixing unpressed Geberit Mapress pipe/fitting joints

Art. no.	d, ø [mm]	SU1 [pc.]
90563	54–108	1

## Pressure test plugs

### Geberit Mapress pressure test plug for fitting



#### Application purposes

- For temporarily closing Geberit Mapress fittings during the pressure test
- For pressure tests with cold water up to 22.5 bar / 2250 kPa
- For pressure tests with air up to 3 bar / 300 kPa

#### Characteristics

- Reusable
- O-ring made of NBR, black
- ø 15–22 mm, without ventilation
- ø 28–108 mm, with ventilation
- ø 42–54 mm, with female thread G 1/2"
- ø 76.1–108 mm, with female thread G 3/4"

Art. no.	d, ø [mm]	SU1 [pc.]
90922	15	1
90923	18	1
90924	22	1
90925	28	1
90926	35	1
90927	42	1
90928	54	1
90929	76.1	1
90930	88.9	1
90931	108	1

## Seal for Geberit Mapress pressure test plug



### Technical data

Material	NBR
----------	-----

Art. no.	d, ø [mm]	SU1 [pc.]
90341	15	1
90342	18	1
90343	22	1

## Set of seals for Geberit Mapress pressure test plug



### Technical data

Material	NBR
----------	-----

### Scope of delivery

- 2 seals

Art. no.	d, ø [mm]	SU1 [pc.]
90344	28	1
90345	35	1
90346	42	1
90347	54	1
90348	76.1	1
90349	88.9	1
90350	108	1

## Test equipment

### Geberit PowerTest



#### Application purposes

- For testing service-free Geberit pressing jaws
- Suitable exclusively for testing zinc-plated Geberit Mepla pressing jaws
- Suitable exclusively for testing zinc-plated Geberit Volex pressing jaws
- Suitable exclusively for testing zinc-plated Geberit Mapress pressing jaws

Art. no.	SU3 [pc.]	SU2 [pc.]	SU1 [pc.]
690.493.00.1	50	10	1



## Accessories

### BRUNOX® Turbo-Spray®



#### Application purposes

- For cleaning and lubricating Geberit tools

Art. no.	Content (ml)	SU3 [pc.]	SU1 [pc.]
90000	120	10	1

### Geberit gearbox grease



#### Application purposes








- For Geberit pressing tools EFP 2

Art. no.	SU1 [pc.]
90010	1













## Tools for Geberit Mepla

### Assortment overview – Geberit Mepla compatibility [1] and [2]

Geberit Great Britain, Version: October 2018

	Art. no.	Dimension
<b>Compatibility [1]</b>		
 Geberit pressing tool ACO 103plus [1], in case	691.017.P5.1	
 Geberit Mepla set of pressing jaws [1]	690.180.00.1	16 / 20 / 26 mm
 Geberit Mepla set of pressing jaws [1]	690.181.00.1	16 / 20 / 26 / 32 mm
 Geberit Mepla set of pressing jaws [1]	690.182.00.1	16 / 20 / 26 / 32 / 40 mm
 Geberit Mepla pressing jaw [1]	690.140.00.1	16 mm
	690.141.00.1	20 mm
	690.142.00.1	26 mm
	690.143.00.1	32 mm
	690.144.00.1	40 mm
<b>Compatibility [2]</b>		
 Geberit hand-operated pressing tool MFP 2 [2]	90523	
 Geberit pressing tool EFP 203 [2], in case	691.113.P5.1	
	691.113.1P.1	

Geberit Great Britain, Version: October 2018

		Art. no.	Dimension
<b>Compatibility [1]</b>			
	Geberit pressing tool ECO 203 [2], in case	691.214.P5.1	
		691.214.1P.1	
	Geberit pressing tool ACO 203plus [2], in case	691.218.P5.2	
	Geberit pressing tool ACO 203XLplus [2] / [2XL], in case	691.228.P5.2	
	Geberit Mepla set of pressing jaws [2]	690.250.00.1	16 / 20 / 26 mm
		690.251.00.1	16 / 20 / 26 / 32 mm
		690.252.00.1	16 / 20 / 26 / 32 / 40 mm
		690.253.00.1	16 / 20 / 26 / 32 / 40 / 50 mm
		690.254.00.1	20 / 26 / 32 / 40 / 50 mm
	Geberit Mepla pressing jaw [2]	690.240.00.1	16 mm
		690.241.00.1	20 mm
		690.242.00.1	26 mm
		690.243.00.1	32 mm
		690.244.00.1	40 mm
		690.245.00.1	50 mm
	Geberit Mepla pressing collar set [2], in case	690.467.00.2	63 mm
	Geberit Mepla pressing collar [2]	691.170.00.1	63 mm
		691.171.00.1	75 mm
	Geberit adaptor jaw ZB 203 [2]	691.180.00.1	Mepla 63–75 Mapress 35–66.7 mm

## Tools

Tools for Geberit Mepla  
Hand-operated pressing tools

# Hand-operated pressing tools

## Geberit Mepla hand-operated pressing tool set, in case



### Application purposes

- For pressing Geberit Mepla pressfittings

### Scope of delivery

- Hand-operated pressing pliers
- Scissors
- Mepla PowerTest
- Case

Art. no.	d, ø [mm]	SU1 [pc.]
690.485.00.4	16 / 20	1
690.486.00.4	16 / 20 / 26	1

### Accessories

- Geberit carrying belt for case

## Geberit Mepla hand-operated pressing pliers



### Application purposes

- For pressing Geberit Mepla pressfittings

Art. no.	d, ø [mm]	SU1 [pc.]
690.475.00.1	16	1
690.476.00.1	20	1
690.474.00.1	26	1

## Pressing tools compatibility [1]

### Geberit Mepla set of pressing jaws [1]



### Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mepla pressfittings

### Scope of delivery

- Pressing jaws [1]
- Pipe cutter
- Grease pencil, yellow
- PowerTest
- Deburring and calibration tool

### Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
690.180.00.1	[1]	16 / 20 / 26	1
690.181.00.1	[1]	16 / 20 / 26 / 32	1
690.182.00.1	[1]	16 / 20 / 26 / 32 / 40	1



- Fit into Geberit case with case insert 10A III

## Geberit Mepla pressing jaw [1]



### Application purposes

- For pressing tools with Geberit compatibility [1]
- For pressing Geberit Mepla pressfittings

### Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
690.140.00.1	[1]	16	1
690.141.00.1	[1]	20	1
690.142.00.1	[1]	26	1
690.143.00.1	[1]	32	1
690.144.00.1	[1]	40	1

### Accessories

- Geberit PowerTest → p. 26



- Fit into Geberit case with case insert 10A III

## Pressing tools compatibility [2]

### Geberit Mepla set of pressing jaws [2]



### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mepla pressfittings

### Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

### Scope of delivery

- Pressing jaws [2]
- Pipe cutter
- Grease pencil, yellow
- PowerTest
- Deburring and calibration tool

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
690.250.00.1	[2]	16 / 20 / 26	1
690.251.00.1	[2]	16 / 20 / 26 / 32	1
690.252.00.1	[2]	16 / 20 / 26 / 32 / 40	1
690.253.00.1	[2]	16 / 20 / 26 / 32 / 40 / 50	1
690.254.00.1	[2]	20 / 26 / 32 / 40 / 50	1

### Accessories

- Geberit case for pressing jaws [2], [3] → p. 14



- Fit into Geberit case with case insert from 10C I, 20A IV, 20B III, 20D I
- Not suitable for Geberit pressing tools PWH 40

## Tools

Tools for Geberit Mepla  
Pressing tools compatibility [2]

### Geberit Mepla pressing jaw [2]



#### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mepla pressfittings

#### Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Suitable for function test with Geberit PowerTest
- Easy maintenance and cleaning

Art. no.	Compatibility	d, ø [mm]	SU1 [pc.]
690.240.00.1	[2]	16	1
690.241.00.1	[2]	20	1
690.242.00.1	[2]	26	1
690.243.00.1	[2]	32	1
690.244.00.1	[2]	40	1
690.245.00.1	[2]	50	1

#### Accessories

- Geberit case for pressing jaws [2], [3] → p. 14
- Geberit PowerTest → p. 26



- Fit into Geberit case with case insert from 10C I, 20A IV, 20B III, 20D I
- Not suitable for Geberit pressing tools PWH 40

### Geberit case for pressing jaws [2], [3]



#### Technical data

Material	ABS
----------	-----

#### Characteristics

- Can be equipped with six Geberit Mepla pressing jaws [2]
- Can be equipped with six Geberit Mapress pressing jaws [2] or [3]
- Can be equipped with Geberit Mepla deburring and calibration tool ø 16–50 mm
- Can be equipped with a Geberit Mapress pipe deburrer ø 12–54 mm
- Can be equipped with a Geberit Mapress pipe cutter up to ø 50 mm or Geberit scissors
- Can be equipped with a Geberit Mapress pipe cutter up to ø 54 mm
- Can be equipped with a Geberit Mapress insertion distance template with marker pen
- Can be equipped with a BRUNOX® Turbo-Spray® 100 ml
- Can be equipped with a Geberit grease pencil and two-meter ruler

Art. no.	SU1 [pc.]
691.137.00.1	1

#### Accessories

- Geberit carrying belt for case

## Geberit Mepla pressing collar set [2], in case



### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mepla pressfittings

### Characteristics

- Can be equipped with Geberit Mepla pressing jaw  $\varnothing$  75 mm

### Scope of delivery

- Pressing collar,  $\varnothing$  63 mm
- Adaptor jaw ZB 203 [2]
- Pipe cutter
- BRUNOX® Turbo-Spray®
- Deburring tool
- Grease pencil, yellow
- Case

Art. no.	Compatibility	d, $\varnothing$ [mm]	SU1 [pc.]
690.467.00.2	[2]	63	1

### Accessories

- Geberit carrying belt for case



- Not suitable for Geberit pressing tools PWH 40

## Geberit Mepla pressing collar [2]



### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing Geberit Mepla pressfittings

Art. no.	Compatibility	d, $\varnothing$ [mm]	SU1 [pc.]
691.170.00.1	[2]	63	1
691.171.00.1	[2]	75	1

### To order additionally

- Geberit adaptor jaw ZB 203 [2] → p. 16



- Not suitable for Geberit pressing tools PWH 40

## Tools

Tools for Geberit Mepla  
Pipe processing tools

### Geberit adaptor jaw ZB 203A [2]



#### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing with Geberit Mepla pressing collars [2]
- For pressing with Geberit Mapress pressing collars [2]

#### Characteristics

- Service-free
- Operable with one hand
- Zinc-plated
- Easy maintenance and cleaning

Art. no.	Compatibility	SU1 [pc.]
691.203.00.1	[2]	1



- Not suitable for Geberit pressing tools PWH 40

### Geberit adaptor jaw ZB 203 [2]



#### Application purposes

- For pressing tools with Geberit compatibility [2]
- For pressing with Geberit Mepla pressing collars [2]
- For pressing with Geberit Mapress pressing collars [2]

Art. no.	Compatibility	SU1 [pc.]
691.180.00.1 PO	[2]	1

PO: Phase out as of April 2019



- Also for use with compatibility [2XL] tool for Geberit Mapress collars up to 66.7 mm
- Not suitable for Geberit pressing tools PWH 40

## Pipe processing tools

### Geberit Mepla pliers



#### Application purposes

- For cutting Geberit Mepla system pipes, ML, and protective tubes to length
- For deburring and calibrating Geberit Mepla system pipes, ML

#### Characteristics

- Calibration and deburring mandrel

Art. no.	d, $\emptyset$ [mm]	SU1 [pc.]
690.134.00.1	16 / 20 / 26	1

## Geberit cutting wheel set for pliers



### Scope of delivery

- Cutting wheel
- Bolt

Art. no.	d, ø [mm]	SU2 [pc.]	SU1 [pc.]
690.936.00.1	16 / 20 / 26	5	1

## Geberit Mepla calibration and deburring mandrel set



### Scope of delivery

- Bolt
- Deburring mandrel, ø 16 and 26 mm
- Deburring mandrel, ø 20 mm

Art. no.	d, ø [mm]	SU1 [pc.]
690.933.00.5	16 / 20 / 26	1

## Geberit pipe cutter



### Application purposes

- For cutting Geberit Mepla system pipes, ML, to length
- For cutting Geberit Volex system pipes, ML, to length

### Characteristics

- Spare cutting wheel in handle

Art. no.	d, ø [mm]	SU1 [pc.]
690.112.00.1	16–50	1
690.115.00.1	32–75	1

## Geberit set of cutting wheels for pipe cutter



### Scope of delivery

- 2 cutting wheels
- Axle

Art. no.	d, ø [mm]	SU3 [pc.]	SU1 [pc.]
690.111.00.1	16–75	10	1



## Tools

Tools for Geberit Mepla  
Pipe processing tools

### Geberit Mepla deburring and calibration tool



#### Application purposes

- For deburring and calibrating Geberit Mepla system pipes, ML

Art. no.	d, $\emptyset$ [mm]	SU1 [pc.]
690.211.00.1	16 / 20 / 26 / 32 / 40 / 50	1
690.212.00.1	16 / 20 / 26	1

### Geberit deburring tool



#### Application purposes

- For deburring Geberit Mepla system pipes, ML

Art. no.	d, $\emptyset$ [mm]	SU1 [pc.]
690.214.00.1	63 / 75	1

### Geberit blade for deburring tool



Art. no.	d, $\emptyset$ [mm]	SU2 [pc.]
690.215.00.1	63 / 75	2

### Geberit grease pencil with retractable lead



#### Application purposes

- For marking on Geberit PushFit system pipes
- For marking on Geberit Mepla system pipes
- For marking on Geberit Volex system pipes

#### Characteristics


- Pressure pin with convenient one-hand operation
- Lead retractable for protection after use
- Water-soluble
- Washable from smooth surfaces
- UV-resistant

Art. no.	Surface / colour
690.102.00.1	yellow

#### Accessories

- Geberit spare lead set for grease pencil with retractable lead

## Geberit spare lead set for grease pencil with retractable lead



### Characteristics

- Water-soluble
- Washable from smooth surfaces
- UV-resistant

Art. no.	Surface / colour	SU1 [pc.]
690.103.00.1	yellow	1

## Geberit grease pencil



### Application purposes

- For marking on Geberit Mepla system pipes
- For marking on Geberit Volex system pipes
- For marking on Geberit PushFit system pipes

### Characteristics

- Wax paint marker with paper jacket

Art. no.		SU2 [pc.]
958.782.00.1	PO	12

PO: Phase out as of April 2019

## Geberit handheld bending tool set, hydraulic, in case



### Application purposes

- For bending Geberit Mepla system pipes, ML
- For bending Geberit PushFit system pipes, ML

### Scope of delivery



- 4 bending cheeks,  $\varnothing$  16, 20, 26 and 32 mm
- 4 bending dies,  $\varnothing$  16, 20, 26 and 32 mm
- Grease pencil, yellow
- Tongs body
- Two-meter ruler
- Case

Art. no.	d, $\varnothing$ [mm]	SU1 [pc.]
690.412.00.3	16 / 20 / 26 / 32	1

### Accessories

- Geberit carrying belt for case

## Geberit external bending spring



### Application purposes

- For bending Geberit Mepla system pipes, ML
- For bending Geberit Volex system pipes, ML
- For bending Geberit PushFit system pipes, ML

### Characteristics

- Zinc-plated


Art. no.	d, $\varnothing$ [mm]	L [cm]	SU1 [pc.]
690.912.00.1	16	50	1
690.913.00.1	20	50	1

## Tools

Tools for Geberit Mepla  
Pressure test plugs

# Pressure test plugs

## Geberit Mepla pressure test plug for pipe end



### Application purposes

- For temporarily closing Geberit Mepla pipe ends during the pressure test
- For pressure tests with cold water up to 25 bar / 2500 kPa

### Characteristics

- Reusable
- O-ring made of EPDM

### Technical data

Material	Brass				
Art. no.	d, $\emptyset$ [mm]	Rp ["]	SU3 [pc.]	SU2 [pc.]	SU1 [pc.]
601.485.00.1	16	1/2		5	1
602.485.00.1	20	1/2	25	5	1
603.485.00.1	26	1/2	25	5	1
604.485.00.1	32	1/2		5	1
605.485.00.1	40	1/2			1
606.485.00.1	50	1/2			1
607.485.00.1	63	1/2			1

## Clamping ring and O-ring set, for Geberit Mepla pressure test plug



### Scope of delivery

- O-ring made of EPDM
- Clamping ring

Art. no.	d, $\emptyset$ [mm]	SU1 [pc.]
241.491.00.1	16	1
241.492.00.1	20	1
241.493.00.1	26	1
241.494.00.1	32	1
241.495.00.1	40	1
241.496.00.1	50	1
241.497.00.1	63	1

# Test equipment

## Geberit Mepla PowerTest



### Application purposes

- For testing Geberit Mepla hand-operated pressing pliers and pressing jaws

Art. no.	SU3 [pc.]	SU2 [pc.]
690.491.00.1	50	10

## Geberit PowerTest



### Application purposes

- For testing service-free Geberit pressing jaws
- Suitable exclusively for testing zinc-plated Geberit Mepla pressing jaws
- Suitable exclusively for testing zinc-plated Geberit Volex pressing jaws
- Suitable exclusively for testing zinc-plated Geberit Mapress pressing jaws

Art. no.	SU3 [pc.]	SU2 [pc.]	SU1 [pc.]
690.493.00.1	50	10	1

## Accessories

### BRUNOX® Turbo-Spray®



### Application purposes

- For cleaning and lubricating Geberit tools

Art. no.	Content (ml)	SU3 [pc.]	SU1 [pc.]
90000	120	10	1

### Geberit gearbox grease



### Application purposes

- For Geberit pressing tools EFP 2

Art. no.	SU1 [pc.]
90010	1

## Appendix

### Abbreviation

Abbreviation	Designation
I1	length, partial dimension (cm)
L2	length (cm)
I2	length, partial dimension (cm)
L3	length (cm)
I3	length, partial dimension (cm)
La	linear expansion (cm)
IK	grip length, screw (cm)
M	metric thread (mm)
m	bolt hole diameter (cm)
n	number of bolts, flange connection (PC)
PN	nominal pressure (bar)
R	taper external thread (")
r	radius (cm)
DN	nominal width
R1	taper external thread (")
Rg	round thread (")
Rp	taper internal pipe thread (")
Rp1	taper internal pipe thread (")
Rp2	taper internal pipe thread (")
S	pipe series
s	wall thickness (mm)
s1	wall thickness (mm)
SW	spanner width (mm)
A	projection (cm)
s ISO	wall thickness (for labels) (mm)
a	partial dimension (cm)
A1	projection (cm)
V	measuring range, volumetric flow rate (l/min)
a1	partial dimension (cm)
AB	connection area (mm)
AB1	connection area (mm)
AB2	connection area (mm)
Acm <sup>2</sup>	clear cross-sectional area (cm <sup>2</sup> )
AD	connecting distance (cm)
arc	angle (°)
AD1	connecting distance (cm)
B	width (cm)
b	partial dimension (cm)
B1	width (cm)
c	flange hole diameter (mm)
d, ø	outer diameter (mm)
UNC	inch thread
D	outer diameter (cm)
d1, ø	outer diameter (mm)

Abbreviation	Designation
D1	outer diameter (cm)
d2, ø	outer diameter (mm)
d3, ø	outer diameter (mm)
da	outer pipe diameter (mm)
di, ø	inner diameter (mm)
DN/OD	nominal width
DN	nominal width
E	insertion depth (cm)
E1	insertion depth (cm)
G	pipe thread (")
G1	pipe thread (")
X	leg length / L-dimension (cm)
X1	leg length / L-dimension (cm)
G2	pipe thread (")
X2	leg length / L-dimension (cm)
H	height (cm)
X3	leg length / L-dimension (cm)
h	height, partial dimension (cm)
H1	height (cm)
X4	leg length / L-dimension (cm)
h1	height, partial dimension (cm)
X5	leg length / L-dimension (cm)
h2	height, partial dimension (cm)
h3	height, partial dimension (cm)
k	flange, diameter of bolt circle (cm)
X6	leg length / L-dimension (cm)
Z	Z-dimension (cm)
Z1	Z-dimension (cm)
Z2	Z-dimension (cm)
Z3	Z-dimension (cm)
Z4	Z-dimension (cm)
K	maximum cutting (cm)
Z5	Z-dimension (cm)
K1	maximum cutting (cm)
Z6	Z-dimension (cm)
K2	maximum cutting (cm)
K3	maximum cutting (cm)
KL	cable length (cm)
L	length (cm)
I	length, partial dimension (cm)
L	L / length (m)
L1	length (cm)

## Sales and delivery conditions

### GENERAL

1. In these Conditions of Sale "The Company" means Geberit Sales Ltd "the Customer" means the person, firm or company with whom The Company contracts. "The Contract" Any contract between The Company and the Customer for the sale and purchase of the Goods incorporating the Conditions (including any part or parts of them). "The Goods" Any Goods agreed in the Contract to be supplied to the Customer by The Company (including any part or parts of them).

2. These Conditions of Sale apply to and govern any contract between The Company and the Customer to the exclusion of any other conditions contained on, or in, any letter, order form, receipt of similar document emanating from the Customer. No variation of these Conditions of Sale shall be effective unless expressly agreed by The Company in writing.

3. (a) All quotations are for information only and are not to be considered as an offer by The Company. No Contract shall come into existence until an order by the Customer has been accepted by The Company.

(b) Acceptance by The Company of any order shall be on the basis that Goods will be invoiced at the prices contained in The Company's price list current at the date of despatch unless otherwise agreed in writing by The Company.

4. (a) Except where otherwise stated in the contract or in The Company's current price list all prices include the cost of packaging and delivery (but not installation). The Company reserves the right to make additional charges if the Customer requires a method of packaging or delivery different from that normally employed by The Company.

(b) The Customer shall, in addition to the net purchase price, pay to The Company the amount of any Value Added Tax or other sales tax at the rate in force at the time the Goods are invoiced.

### 5. PAYMENT

(a) All Goods will be invoiced at the time of, or soon after, despatch. Payment for the Goods must be received by The Company not later than the last day of the month following the date of the invoice. In the event of late payment, The Company reserves the right to charge interest at a rate of 2% per month.

(b) In the event of the Customer postponing delivery, or requesting that The Company suspend the manufacture of the Goods, or failing to give The Company sufficient information to enable it to process any order, the Customer shall pay any additional costs and expenses thereby incurred by The Company.

(c) Unless otherwise agreed in writing by The Company the Customer shall not be entitled to set off against any moneys due to The Company under the Contract any sums claimed by or due to the Customer from The Company under the Contract or any other Contract between The Company and the Customer.

### 6. ILLUSTRATION AND DIMENSIONS

(a) All information and illustrations contained in brochures, catalogues, price lists, trade literature and advertising material produced by The Company are approximate only, intended to indicate only the general character of the Goods, and do not form any part of any contract between The Company and the Customer.

(b) The dimensions of the Goods are subject to manufacturing tolerances customary within the trade. Dimensions contained in quotations, acknowledgements of orders, or catalogues, price lists, advertising matter and other trade literature are therefore approximate only.

### 7. SUBSTITUTED GOODS

The Company reserves the right to substitute Goods which are similar to the Goods ordered by the Customer provided that such substituted Goods are no less suitable for the purpose for which they are generally used than Goods ordered by the Customer.

### DELIVERY

8. The Company cannot offer a timed delivery service, although we will try to meet the customer needs wherever possible. Any deliveries required outside our delivery schedule will be at the customer's expense.

9. Delivery shall be made to the Customer's premises only.

10. The Customer shall be responsible for unloading the Goods at the point of delivery.

11. The Customer will confirm the goods are received at the time of delivery by signing the Proof Of Delivery document (POD) providing a signature, date and printed name.

12. Immediately on collection or delivery, whichever is appropriate, the Customer shall examine the goods. Any shortages, damages or other delivery discrepancies must be notified directly to the Customer Support team in writing within three working days of delivery or collection. Credits will not be given if a POD has been signed and there have been no reported anomalies within 3 working days of the delivery date.

13. The Company will use its best endeavours to comply with any delivery date, however, collection or delivery dates and times indicated by the Company shall be regarded as best estimates only. The Company cannot be responsible for any loss or damage whatsoever caused by late delivery where circumstance beyond The Company's control have caused such delay.

14. The Company operates a minimum delivery value requirement for deliveries to the Customer's premises. This currently stands at £300.

15. Orders placed below the minimum order value will be subject to a £10 minimum order value charge.

16. Express orders should be placed before our cut offs for delivery the next day. These orders are subject to a carriage charge to the customer and will be priced based on weight.

### 17. RETURNS

The Company does not operate a returns policy for saleable stock or for stock that is defective or damaged upon receipt. Any agreed stock return is at the discretion of The Company and only with prior written consent. Where such consent is given, a handling charge of a minimum of 30% of invoiced value will be made.

**18. RISK AND RETENTION OF OWNERSHIP**

The risk in the Goods contracted to be sold by The Company shall pass to the Customer when the Goods are delivered to or collected by the Customer.

(a) Notwithstanding any passing of risk to the Customer, The Company retains ownership of the Goods the subject matter of this Contract the property in which shall not pass to the Customer and the Customer shall keep any Goods delivered to it as bailee for and on behalf of The Company until The Company has received full payment of the price of all Goods (whether or not the Goods are delivered in instalments and some have been paid for by the Customer).

(b) Until ownership of the Goods has passed to the Customer the Customer;

(i) shall insure the Goods against any loss or damage with an insurance office of repute.

(ii) shall store the Goods separately or in some other way ensure that they are readily identifiable as the property of The Company.

(iii) irrevocably authorise the representative of The Company at any time and from time to time (whether or not payment is due) to repossess the Goods and for such purpose to enter any premises occupied by the Customer or where the Goods are or are thought to be and to sever the Goods from anything to which they are attached without being responsible for any damage caused.

(iv) shall keep the Goods free from any charge, lien or other encumbrance.

(c) If, while under The Company's ownership, the Goods or any of them are processed or incorporated into other Goods ("the New Goods") then, provided the Goods remain a readily identifiable and removable part of the New Goods, the provisions of conditions (a) and (b) shall apply.

(d) The Company (acting on its own account, not as agent for the Customer) may sell or agree to sell any of the Goods or the New Goods in The Company's possession on such terms as it may in its sole discretion consider appropriate.

(e) The Company shall be entitled to a general lien over all Goods and materials of the Customer which is in The Company's possession or control from time to time for any sums due at any time whatsoever to The Company.

(f) Nothing in this condition shall confer any right upon the Customer to refuse or delay payment therefore.

**19. LIMITATION OF LIABILITIES**

(a) Goods may be delivered in cartons, bundles, returnable containers, loose or in other packaging. In any case where it is established to the satisfaction of The Company that the Goods have been damaged or lost (whether wholly or in part) in transit The Company will, at its own cost, repair or replace same provided that

(i) in the case of partial loss or damage, the Customer has returned to The Company's representative (or where the Goods have been delivered by a Carrier his representative) The Company's receipt note duly signed by the Customer's representative and indicating thereon as shortage of or damage to cartons, bundles, returnable containers, loose Goods or other such packages as shall make up the delivery and full particulars are notified directly to The Company in writing within three working days of delivery:

(ii) in the case of damage, the Goods and their packaging are retained by the Customer for inspection by The Company's representative. The Company will not be liable for any loss or damage in transit, except as above.

(b) Where it is established to the satisfaction of The Company that Goods delivered by them or collected by the Customer, contain at the time of receipt by the Customer some defect in quality (not being a defect caused by some act or neglect of the Customer or a third party) and the Goods are returned to

The Company at the Customer's expense within three months of despatch to the Customer, The Company will at its own cost repair or replace them (the choice being at The Company's option).

(c) Save as aforesaid and to the extent permitted by law The Company will not be liable to the Customer for any loss or damage whatsoever suffered as a result of a defect in quality or defective installation or the fact that the Goods are not fit for a particular purpose save for the conditions implied by section 12 of the Sale of Goods Act 1979 and without prejudice to the generality of the foregoing any implied term, condition or warranty statutory or otherwise as to the quality of the Goods sold or their fitness for any particular purpose or as to their correspondence with any description or sample is hereby excluded.

No warranty or representation given by or on behalf of The Company including without prejudice to the generality of the foregoing any advice as to the installation quantities use or performance of Goods supplied by The Company shall be binding upon The Company unless specifically stated in writing by The Company to be incorporated in the contract. Nothing in these Conditions excludes or limits the liability of The Company for death or personal injury caused by The Company's negligence or fraudulent misrepresentation.

**20. CONSEQUENTIAL LOSS**

Without prejudice to the generality of the foregoing provisions The Company shall not in any event be liable to the Customer for any indirect or consequential loss of or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise) costs, expenses or other claims for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the Contract.

**21. INSOLVENCY AND BREACH OF CONTRACT**

The Company shall have the option (without prejudice to any of its other rights against the Customer) by notice in writing to the Customer to rescind the contract or to suspend delivery in the following events:

(i) should any sum owing by the Customer to The Company be overdue.

(ii) should the Customer be in breach of any term of the contract with The Company.

(iii) should the Customer enter into any composition or arrangement with, or for the benefit of its creditors or have a receiving order in bankruptcy made against him or (if a body corporate) should it go into liquidation either voluntary or compulsory or under supervision or have a receiver and/or manager administrative receiver or administrator appointed over all or any part of its assets, or in Scotland should the Customer become notour bankrupt, or sequestrated, or a receiver, or judicial factor, or trustee is appointed, for any portion of the Customer's estate or effects or suffer any arrestment charge pending or other diligence to be issued or levied upon the Customer his estate or effects.

## **22. HEALTH AND SAFETY**

As The Company is under a duty pursuant to S 6 of the Health and Safety at Work Act 1974 in respect of the design, manufacture and supply of any article for use at work, the Customer shall be deemed to have been afforded by The Company reasonable opportunity for the testing and examination of Goods or materials in respect of their safety and risk to health prior to delivery to the Customer, and he shall be deemed to have been afforded by The Company adequate information about the Goods and materials in respect of the use for which they are designed, and have been tested, and of any conditions necessary to ensure that when put to that use they will be safe and without risk to health, whether or not the said information has been requested by the Customer.

## **23. INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS**

The Company is the proprietor or beneficial owners of patents, registered designs, trademarks and tradenames, copyright or other industrial or intellectual property rights relating to the Goods and The Company reserves all such rights to itself and no authorisation of licence is granted to the Customer to use the Goods or any drawing or specifications relating to the same provided to the Customer by The Company otherwise than for the purpose provided.

## **24. FORCE MAJEURE**

The Company reserves the right to defer the date of delivery or to cancel the Contract or reduce the volume of the Goods ordered by the Customer (without liability to the Customer) if it is prevented from or delayed in the carrying on of its business due to circumstances beyond the reasonable control of the Company including without limitation, acts of God, Governmental actions, war or national emergency, riot, civil commotion, fire, explosion, flood, epidemic, lock out, strikes or other labour disputes (whether or not relating to either party's workforce) or restraints or delays affecting carriers or inability or delay in obtaining supplies of adequate suitable materials.

## **25. WAIVER**

Forbearance or indulgence by The Company shown or granted to the Customer whether in respect of these Conditions of Sale or otherwise, shall not affect or prejudice the rights of The Company against the Customer or be taken as a waiver of any of these Conditions of Sale.

## **26. GOVERNING LAW**

Any contract incorporating these Conditions of Sale shall be governed by and construed in accordance with the laws of England and The Company and the Customer hereby agree to submit to the jurisdiction of the English Courts.

## **27. HEADNOTES**

The head notes to these Conditions have been inserted for convenience and shall not affect their construction.

Geberit Sales Ltd  
Geberit House, Edgehill Drive  
Warwick, Warwickshire  
CV34 6NH  
Effective July 2018



## Index

Art. no.	Page	Art. no.	Page	Art. no.	Page	Art. no.	Page
90000	35	90924	22	690.221.00.1	10	691.292.00.1	11
90010	35	90925	22	690.222.00.1	10	691.293.00.1	11
90241	9	90926	22	690.223.00.1	10	691.295.00.1	11
90242	9	90927	22	690.224.00.1	10	691.296.00.2	12
90243	9	90928	22	690.225.00.1	10	691.297.00.3	12
90244	9	90929	22	690.226.00.1	10	691.310.P5.3	6
90245	9	90930	22	690.230.00.1	10	691.312.1P.3	6
90246	9	90931	22	690.231.00.1	10	691.388.00.1	16
90341	23	91087	20	690.232.00.1	10	691.389.00.1	17
90342	23	91088	20	690.233.00.1	10	691.390.00.1	15
90343	23	91092	20	690.235.00.1	10	691.391.00.1	15
90344	23	241.491.00.1	34	690.240.00.1	28	691.392.00.1	15
90345	23	241.492.00.1	34	690.241.00.1	28	691.393.00.1	15
90346	23	241.493.00.1	34	690.242.00.1	28	691.396.00.2	16
90347	23	241.494.00.1	34	690.243.00.1	28	691.397.00.3	16
90348	23	241.495.00.1	34	690.244.00.1	28	691.420.P5.1	19
90349	23	241.496.00.1	34	690.245.00.1	28	691.422.1P.1	19
90350	23	241.497.00.1	34	690.250.00.1	27	958.782.00.1	33
90351	21	601.485.00.1	34	690.251.00.1	27		
90357	20	602.485.00.1	34	690.252.00.1	27		
90358	22	603.485.00.1	34	690.253.00.1	27		
90363	20	604.485.00.1	34	690.254.00.1	27		
90365	20	605.485.00.1	34	690.412.00.3	33		
90371	21	606.485.00.1	34	690.467.00.2	29		
90372	21	607.485.00.1	34	690.474.00.1	26		
90373	21	690.102.00.1	32	690.475.00.1	26		
90374	21	690.103.00.1	33	690.476.00.1	26		
90375	21	690.111.00.1	31	690.485.00.4	26		
90376	21	690.112.00.1	31	690.486.00.4	26		
90391	21	690.115.00.1	31	690.491.00.1	34		
90394	21	690.121.00.1	8	690.493.00.1	23		
90396	21	690.122.00.1	8	690.912.00.1	33		
90531	11	690.123.00.1	8	690.913.00.1	33		
90532	11	690.124.00.1	8	690.933.00.5	31		
90533	11	690.125.00.1	8	690.936.00.1	31		
90534	11	690.126.00.1	8	691.090.00.2	9		
90535	11	690.134.00.1	30	691.091.00.1	9		
90536	11	690.140.00.1	27	691.092.00.2	9		
90562	19	690.141.00.1	27	691.093.00.2	9		
90563	22	690.142.00.1	27	691.137.00.1	12		
90641	16	690.143.00.1	27	691.170.00.1	29		
90642	16	690.144.00.1	27	691.171.00.1	29		
90643	16	690.180.00.1	26	691.180.00.1	13		
90644	16	690.181.00.1	26	691.181.00.1	13		
90645	16	690.182.00.1	26	691.182.00.1	13		
90646	16	690.190.00.1	8	691.183.00.1	13		
90648	18	690.191.00.1	8	691.185.00.3	13		
90795	18	690.192.00.1	8	691.186.00.1	15		
90796	18	690.193.00.1	8	691.187.00.1	15		
90797	14	690.195.00.1	8	691.188.00.1	14		
90798	14	690.211.00.1	32	691.189.00.1	14		
90799	14	690.212.00.1	32	691.203.00.1	13		
90922	22	690.214.00.1	32	691.290.00.1	11		
90923	22	690.215.00.1	32	691.291.00.1	11		



**Geberit Sales Ltd**

Geberit House  
Edgehill Drive  
Warwick  
CV34 6NH

T 01926 516 800

F 01926 400 101

In Eire +44 (0)1926 516 800

Literature 0800 007 5133

enquiries@geberit.co.uk

[www.geberit.co.uk](http://www.geberit.co.uk)