

# ACT 40V

## Rugged 40V Plastic Pipe Welder

up to  
630  
mm

- **Electrofusion processors for plastic pipe welding world-wide**
- Welds fittings from 16mm to 630mm diameter (1/2" to 24") and depending on manufacturer 710mm (28")
- Suitable for low, medium and high pressure PE or PP pipe
- Welds constant voltage electrofusion fittings (commonly 39.5v)
- Suitable for the rental market and civil engineering construction sites
- Dependable & robust, No.1 seller to hire companies in the UK
- Welds fittings in Manual mode, Fusamatic mode and Bar Code automatic mode
- Data log memory of more than 2000 welds
- Download data log using USB memory
- Welding output is a controlled voltage between 8V and 48V
- All ACT Models come with Stainless Steel lid and frame
- Available in 17 countries and fully supported by our agents
- Manufactured and assembled entirely in the UK
- Available with or without barcode scanner and storage pouch
- CE approved



### Input Power Connections for this model:

- 110V version
- 120V version
- 230V version

**Input plug for your region or country are available**

Contact us for more information

### Bespoke OEM

As a bespoke OEM Original Manufacturer we can produce this product as an OEM to suit your business

Contact us to discuss your requirements

### Specification details - ACT 40

<b>Operating Modes</b>	Manual, Barcode, Fusamatic
<b>Welding Voltage</b>	39.5V (8 to 48V)
<b>Welding Current</b>	1-75A (100A Peak)
<b>Welding Time</b>	1-6000 seconds
<b>Supply Voltage</b>	115V ± 15% (40-60Hz) 230V ± 15% (40-60Hz)
<b>Supply Current</b>	1-32A (115V) 1-15A (230V)
<b>Supply Power</b>	4000 W
<b>Weight</b>	28 kg
<b>Size</b>	38 x 38 x 40cm
<b>Operating Temp.</b>	-15C to +50C
<b>Welding Diameters</b>	16-630mm

